

CARTECK INSULATED SIDE HINGED.

A classic, contemporary garage door for your home.

U-Value
2.20
W/m²K




INSULATED SIDE HINGED GARAGE DOORS & PERSONNEL DOORS.

Contemporary but classic! Insulated side hinged garage doors and personnel doors are made from the same superb panels as CarTeck sectional garage doors. Every detail is perfectly considered for superior quality and a robust yet elegant garage door.

The solid panels, engineered hollow section aluminium frames and high grade fittings result in a door that closes with a reassuringly deep "clunk".

Security is excellent and the range of styles, finishes and windows options allows personalisation to suit your tastes. 1/2 and 1/2 opening, asymmetric configurations and matching personnel doors further increase the doors' versatility.

Personnel doors to match side hinged and sectional garage doors!




KEEP THE ELEMENTS AT BAY
Page 4



EVERY DETAIL, PERFECT
Page 6



DOOR OPTIONS & EXTRAS
Page 8



THE STYLES
GARAGE & SIDE DOORS
Page 12

STYLE OPTIONS
WINDOWS & BLING!
Page 24

See pages 34 - 35 for inspiration!



COLOURS, TEXTURES & COASTAL FINISH
Page 28



GETTING THE BEST
FROM YOUR DOOR
Page 31

See page 32 for warranty information.



HOW DO I CHOOSE!?

YOUR QUESTIONS ANSWERED.

Before you get into the nitty-gritty, why not have a look at the 'How do I choose!? Your questions answered...' web pages for CarTeck insulated side hinged garage doors.

They will help you decide what really matters when choosing a new garage door in short, snappy videos...



SCAN ME!




Save money on your energy bills with Teckentrup insulated garage doors!

An example of what you can watch is the insulation animation - This video makes understanding U-values easy, showing how much money you'll save on heating by fitting an insulated CarTeck garage door compared to other garage door types on the market...

It's a surprisingly significant amount!



SCAN ME!



TECKENTRUP
DOOR SOLUTIONS



HEAVY WEATHER? WARMER, DRYER & FEWER DRAUGHTS!

Image courtesy of Doormatic

Asymmetric Split Solid Horizontal Smooth Light Grey RAL 7035

INSULATION 'U VALUE'

What's in a number? Our 40mm thick panels have an insulating value that has been independently tested to 0.56 W/m²K. The lower the value the better the insulating properties.

It's not a figure we tend to quote because we know a door is more than just a panel. We quote the insulation value for a complete door (over frame size 10'4" wide x 7'6" high) including the panel joints and weather strips. CarTeck side hinged doors have an insulation 'U value' of 2.20 W/m²K - you won't find better performance on any comparable garage door.

U-Value
2.20
W/m²K

"I want to save money
on my energy bills..."
Watch the video!



SCAN ME!

KEEPS THE ELEMENTS AT BAY!



“I want to know
what performance I
can expect”
Watch the video!



SCAN ME!

“I want to reduce
draughts and keep
the cold out...”
Watch the video!



SCAN ME!


WHAT PERFORMANCE CAN I EXPECT?

As part of the CE/UKCA marking process, each product must have its performance provided for a defined set of characteristics to allow fair comparison between products from different manufacturers. Other characteristics can also be included, if relevant to a door's performance. The following table shows the performance characteristics of CarTeck side hinged garage doors.

HONESTY

For information on what performance you can expect from your garage door, visit the Honesty Page on the Teckentrup website -

www.teckentrup.co.uk/garage-doors/the-honesty-page



HONESTY PAGE
- SCAN ME!



PERFORMANCE CHARACTERISTIC

RATING

Resistance to Windload EN 12424	Class 2
Watertightness EN 12425	NPD
Air Permeability EN 12426	NPD
Thermal Transmittance EN 13241	2.20 W/m²K

NPD signifies the product has not been measured for this characteristic (NPD - No Performance Determined).

See page 32 for warranty information!

EVERY DETAIL, PERFECT.


BS EN 13241

Our doors are independently tested and certified under the British Standard (BS EN 13241) to all current safety legislation and carry a CE/UKCA mark.



SOLID 40MM THICK PANELS

Doors are built with 40mm-thick interlocking insulated panels and an aluminium hollow section frame that provides excellent strength, rigidity and resistance to corrosion.



**Very robust, super strong
rigid foam filled panel**

DOUBLE WEATHER STRIPS & MITRED CORNERS

In addition to the circumferential weather strip around the door leaf, the door frame has a three-sided weather strip for excellent draught reduction. Profiles are mitre jointed for a neat finish.



**1/2 & 1/2 Split Centre Ribbed Vertical Smooth Slate
Grey RAL 7015 with Athena Windows & D-Handles**

HIGH QUALITY CONCEALED HINGES

All insulated side hinged doors have concealed hinges for a super sleek overall look. No hinges to the outside of the door removes an obvious point of attack and also makes it difficult to lever open the door should an attempt be made.

Concealed hinges offer an improved drive through width of up to 80mm between the frame compared to surface mounted hinges.

Each door leaf has two or three (dependent on size) heavy-duty concealed hinges that are easily adjusted to help align the door leaves perfectly.



DOOR STAYS

These top grade, spring dampened stays hold the door securely in the open position. A simple de-latch motion releases the held door leaf. Any leaf below 780mm wide (including asymmetric side hinged doors) will not have a stay.

**Note - not designed for high
wind applications.**





SECURITY LOCK CYLINDER

Certified to BS EN1303 Cylinder Security Grade 2, our lock cylinder provides enhanced security and is anti-drill and anti-pick. The cylinder also features a break off system which is designed to prevent the cylinder from being broken by including a 'sacrificial' section that breaks off if an attempt to break the cylinder is made, whilst leaving sufficient cylinder remaining to still operate the lock with a key.

Every door comes with three keys as standard. Additional keys can be cut at a high street locksmiths.




FLUSH BOLT SECURITY

The inactive leaf is secured with flush bolts to the top and bottom of the leaf. Each bolt has an adjustable flush bolt plate for greater versatility on the position of the leading edge on the inactive leaf as seals compress over time.



MITRED FRAMES

The mitred door leaf frame and door frame are finished in a matching smooth finish for white, Trend (including Anthracite Textured), Trend+, Trend Satin and RAL coloured doors.



For these Trend colours, a complimentary flat colour is used: Ice Crystal Grey Aluminium (RAL9007), TT9016 Bling White (RAL 9016), Golden Oak (RAL8003), Rosewood (RAL8016) and Night Oak (RAL8014), Winchester (RAL8001) wood design finishes. (The door frame colour shade and surface lustre will show a variance from the panel finish as the base material and coating methods are different.)

NEAT INSIDE TOO

The inside of the door is very presentable. There are no unsightly bracings, just a wipe clean surface finished in a practical grey white stucco texture (RAL 9002) to the panel surface, with the frame and panel surround matching the colour of the front face of the door in a smooth finish.

Horizontal doors are as shown in the full door image on the far right.

Vertical doors have small jointing plates at the panel interfaces, shown on a single leaf, first image to the right.



"I want a high performance door, not like they can be - rattly and draughty..."
Watch the video!



SCAN ME!

CLEVER DETAILS.

TECKENTRUP
DOOR SOLUTIONS

LOCKING & HANDLE OPTIONS.


STANDARD STAINLESS STEEL HANDLES & SECURITY LOCKING

High grade stainless steel handles and lock covers are tough and attractive, whilst the latch and dead bolt combination provides dependable security. A convenient thumb turn operates the lock from the inside.

The inactive leaf incorporates a stainless steel strike plate with an adjustable latch plate for precise latching and a steel lock keep box for added attack resistance.

Note - Doors installed in coastal/high salinity environments must be fitted with a 316 Stainless Steel lever handle upgrade or the 3-point locking with CarTeck lever handle option (facing page). Doors with standard stainless steel or black handles may experience corrosion of the handle and discolouration of the surrounding door finish. This will be excluded from warranty claims. The coastal paint upgrade option is also recommended.

Standard Locking - Standard stainless steel handles and the options black powder coat handle come with a single point security lock and cylinder as standard.



Black powder coated handle available as an option.

Optional 3-Point Locking - The active leaf is available with three point locking as an option for enhanced security. The additional locks provide extra strength to combat attempts to force them apart.

Triple point locking is achieved by two pins at the top and bottom of the door that extend into the inactive leaf and the latch and dead bolt at the handle point.



Specific hardware requirement? Talk to us as alternative designs can often be accommodated.



Matching Personnel door

Solid Ribbed 1/2 & 1/2 Split Horizontal Woodgrain
White RAL 9016 with Zeta Windows

"I want an additional layer of security..."
Watch the video!



SCAN ME!

DURABLE, DEPENDABLE SECURITY.

OPTIONAL 3-POINT HOOK LOCKING & CARTECK LEVER HANDLE

Do you use your garage for storage and want an additional layer of security? Or, does your garage have a doorway that provides access to your home? For added peace-of-mind, 3-point locking is the ideal choice when security is a concern.

3-point locking is achieved by two hook locks at the top and bottom of the active door leaf and a central mortice lock. Hook locks provide an extra layer of security, preventing the door leaves from being prised apart by potential intruders. Paired with our anti-drill, anti-pick lock cylinder, which is standard on all doors and certified to BS EN1303 Cylinder Security Grade 2, security is tough and dependable.


Operation is simple with the systems' hook locks engaged by lifting up the handle, just as you would on a typical patio door handle and lock.

Doors are completed with the new CarTeck lever handle, finished in Satin Nickel as standard (alternative handle finishes available at additional cost). The CarTeck lever handle is durable and attractive with thumb turn operation to the inside of the door for convenience. The handle is suited to high salinity and coastal environments.



Finished in Satin Nickel as standard.

Optional extra handle finishes (Satin Nickel as standard):



Gold Rose Gold Chrome Black White Anthracite



STAINLESS STEEL D-HANDLE OPTIONS

The addition of stainless steel 'D' handles to your side hinged garage door are an elegant and contemporary alternative to the standard lever handle. Available in two sizes (1500mm & 1200mm), D-handles can be added to the active leaf only or to both door leaves.

Standard Locking - Doors with D-handles come with a single point security lock and cylinder as standard.

Optional 3-Point Locking - The active leaf is available with three point locking as an option for enhanced security. The additional locks provide extra strength to combat attempts to force them apart.

Triple point locking is achieved by two pins at the top and bottom of the door that extend into the inactive leaf and the latch and dead bolt at the handle point.



1500mm

1200mm



THRESHOLD OPTIONS.



STANDARD RAMPED 3-PART THRESHOLD

A stepped 3-part aluminium threshold, 179mm wide, with a bulb weather strip is supplied as standard. The door leaves close against the raised weather strip creating an improved barrier to dust and debris. The threshold includes a thermal break, helping to reduce heat transfer.



OPTIONAL 1-PART RAMPED THRESHOLD

At 134mm wide, the 1-part threshold is stepped and includes a seal for the door leaf to close against and a thermal break.



OPTIONAL ALUMINIUM STRIP THRESHOLD

The aluminium profile, available as an option, provides a simple low profile threshold (without a weather strip).



OPTIONAL FOUR-SIDED FRAME 55MM THRESHOLD

The 55mm four sided frame used the same profile as the frame legs and frame head to create an all-round frame. Cannot be used if vehicular access is required.



OPTIONAL FOUR-SIDED FRAME 40MM FULL OVERLAP THRESHOLD

The 40mm four sided frame used the same profile as the frame legs and frame head to create an all-round frame and includes a lipped profile to the front of the door leaf for additional weather protection. Cannot be used if vehicular access is required.



MORE OPTIONS!

OPEN-IN & OPEN OUT OPTIONS

All side hinged garage doors are typically open-out. Open-in is available as an option.


Note - open-in increases the likelihood of water ingress. We recommend the drip guard option is selected with open-in doors. Talk to your garage door specialist about the best option for you.

OPTIONAL SIDE PANELS

If you've got a great big opening that might have had a double up and over garage door, we can make it work! Your new door can include fixed side panels that reduce down the size of the opening to allow a side hinged garage door to be fitted. See a few examples of how this looks below.



LETTER BOXES



Letter boxes are available finished in Satin Nickel as standard with an option for Gold, Rose Gold, Chrome, Black, White or Anthracite.

CODE LOCKS

Code locks provide secure access without the need to carry a key.



PET FLAPS

Pet Flaps, usually fitted to the bottom panel of a door!

SPY HOLES



FINGER PULLS



CUSTOM HARDWARE

Want to use your own hardware, perhaps to match a front door? Talk to us and we'll make it happen!



ANYTHING ELSE?

If you can think of anything else you would like to incorporate onto your door, just ask and we'll see if we can make it happen!



MAKE IT YOURS.

□ GEORGIAN. CARTECK INSULATED SIDE HINGED

The classic...

The Georgian design features are a timeless favourite and work beautifully with the addition of windows for an added accent and natural light.



SCAN ME!



Looking for
some more
inspiration?



Matching
personnel
doors
available.



□ 1/2 & 1/2 Split Vertical Woodgrain Steel
Blue RAL 5011 (Height above 2200mm)



□ 1/2 & 1/2 Split Vertical Woodgrain White
RAL 9016 (Height below 2200mm*)



□ 1/2 & 1/2 Split Horizontal Woodgrain Anthracite Grey RAL
7016 with Rhombus Mullion Windows (Width up to 2350mm)



□ Asymmetric Split Horizontal Woodgrain
White RAL 9016 (Width up to 2350mm)

TREND COLOURS

See page 28 for important colour & finish detail.

White RAL 9016	TT9016 Bling White with micaceous iron ore particles glitter effect	Ice Crystal Grey Aluminium	White Aluminium RAL 9006	Grey Aluminium RAL 9007
Light Grey RAL 7035	Window Grey RAL 7040	Quartz Grey RAL 7039	Umbra Grey RAL 7022	Slate Grey RAL 7015
Anthracite Grey RAL 7016	Anthracite Textured RAL 7016	TT 703 A special satin metallic effect (grey with micaceous iron ore particles)	Jet Black RAL 9005	Steel Blue RAL 5011
Moss Green RAL 6005	Fir Green RAL 6009	Flame Red RAL 3000	Sepia Brown RAL 8014	Cream RAL 9001

TREND+ COLOURS

Agate Grey RAL 7038	Silver Grey RAL 7001	Pebble Grey RAL 7032	Stone Grey RAL 7030	Mouse Grey RAL 7005
Basalt Grey RAL 7012	Graphite Grey RAL 7024	Granite Grey RAL 7026	Graphite Black RAL 8011	Signal Black RAL 9004
Centian Blue RAL 5010	Pigeon Blue RAL 5014	Chartwell Green BS 14 C 35	Sage Green RAL 130 60 10	Burgundy RAL 3004
Ruby Red RAL 3003	Terra Brown RAL 8028	Nut Brown RAL 8011	Light Ivory RAL 1015	Pure White RAL 9010

TREND SATIN COLOURS

White RAL 9016	Jet Black RAL 9005	Anthracite Grey RAL 7016
Agate Grey RAL 7038	Chartwell Green BS 14 C 35	Pebble Grey RAL 7032

Trend Satin Colours have a 10% gloss level (hence the name "Satin") compared to the 30% gloss level of Trend and Trend+ colours.

WOOD EFFECTS

Golden Oak	Rosewood	Night Oak	Winchester
------------	----------	-----------	------------

Doors can also be coloured to any RAL shade.



COLOUR MATCHED TRIMS



For finishing the job, Teckentrup can provide colour matched trims for Trend+, Trend Satin & RAL coloured doors - Talk to your garage door specialist!

COASTAL PAINT UPGRADE

See pages 30 & 32 for more information.



To protect doors installed in coastal areas/high salinity environments, choose the coastal paint upgrade!

SURFACE TEXTURES



Woodgrain

WINDOWS

HORIZONTAL

Alternative window configuration? Just ask!



Rectangle Type 1



Rhombus Mullion



Cross Mullion

VERTICAL



Rectangle Type 1



Rhombus Mullion



Cross Mullion

HANDLE OPTIONS

All doors come with a Stainless Steel lever handle as standard.



Black Powder Coated
Lever Handle



3-Point Hook Locking &
CarTeck Lever Handle

Full details
& finishes
page 9.



1/2 & 1/2 Split Vertical
Woodgrain Anthracite
Grey RAL 7016 with white
Rhombus Mullion Windows
and frame.



Asymmetric Split Horizontal Woodgrain Wood Effect Golden Oak (Width above 2350mm) with CarTeck Lever Handle in Gold



1/2 & 1/2 Split CarTeck Georgian Horizontal - Woodgrain Anthracite Grey with Cross Mullion Windows

On asymmetrically split doors the maximum leaf width for the large leaf is 1524mm.

TECKENTRUP
DOOR SOLUTIONS

□ SOLID.

CARTECK INSULATED SIDE HINGED

The modern master...

Simple and clean design sets apart the Solid style as the contemporary choice. For the perfect finishing touch, add Bling windows and decals!



□ 1/2 & 1/2 Split Horizontal Smooth Stone Grey
RAL 7030 with CarTeck Lever Handle in Black



SCAN ME!



Looking for
some more
inspiration?



✓ Matching personnel
doors available.



□ 1/2 & 1/2 Split Vertical Smooth Jet Black
RAL 9005 with Square Type 2 Windows



□ Asymmetric Split Vertical Smooth
Anthracite Grey RAL 7016

TREND COLOURS

See page 28 for important colour & finish detail.



TREND+ COLOURS




TREND SATIN COLOURS



Trend Satin Colours have a 10% gloss level (hence the name "Satin") compared to the 30% gloss level of Trend and Trend+ colours.

WOOD EFFECTS



Doors can also be coloured to any RAL shade.



COLOUR MATCHED TRIMS


For finishing the job, Teckentrup can provide colour matched trims for Trend+, Trend Satin & RAL coloured doors - Talk to your garage door specialist!

COASTAL PAINT UPGRADE

See pages 30 & 32 for more information.

To protect doors installed in coastal areas/high salinity environments, choose the coastal paint upgrade!

SURFACE TEXTURES




WINDOWS

HORIZONTAL

Alternative window configuration? Just ask!




VERTICAL



BLING WINDOWS & DECALS

For extra special windows and decals, see our Bling section on pages 26 & 27.



HANDLE OPTIONS

All doors come with a Stainless Steel lever handle as standard.




Image courtesy of Nuneaton Garage Doors

1/2 & 1/2 Split Horizontal Smooth Agate Grey RAL 7038 with Square Type 1 Windows & Stainless Steel D-Handles




Image courtesy of Nortech Garage Doors


1/2 & 1/2 Split Vertical Smooth White RAL 9016 with Bling Kappa Window

SPLITS

1/2 and 1/2



Asymmetric



On asymmetrically split doors the maximum leaf width for the large leaf is 1524mm.

□ CENTRE RIBBED. CARTECK INSULATED SIDE HINGED

The style master...

Our most popular style - Centre Ribbed's proportions give the door a refined designer feel that just works! Choose smooth for a super sleek finish, or woodgrain, stucco & micro-profiled for added depth.



SCAN ME!



Looking for
some more
inspiration?



□ 1/2 & 1/2 Split Horizontal Smooth Stone Grey
RAL 7030 with CarTeck Lever Handle in Black



Matching personnel
doors available.



□ 1/2 & 1/2 Split Horizontal Smooth Steel Blue RAL
5011 with Stainless Steel D-Handles



□ 1/2 & 1/2 Split Vertical Smooth White
RAL 9016 with Bling Athena Windows

TREND COLOURS

See page 28 for important colour & finish detail.



TREND+ COLOURS




TREND SATIN COLOURS



Trend Satin Colours have a 10% gloss level (hence the name "Satin") compared to the 30% gloss level of Trend and Trend+ colours.

WOOD EFFECTS



Doors can also be coloured to any RAL shade.



COLOUR MATCHED TRIMS


For finishing the job, Teckentrup can provide colour matched trims for Trend+, Trend Satin & RAL coloured doors - Talk to your garage door specialist!

COASTAL PAINT UPGRADE

See pages 30 & 32 for more information.

To protect doors installed in coastal areas/high salinity environments, choose the coastal paint upgrade!

SURFACE TEXTURES




WINDOWS

HORIZONTAL

Alternative window configuration? Just ask!




VERTICAL




BLING WINDOWS & DECALS

For extra special windows and decals, see our Bling section on pages 26 & 27.



HANDLE OPTIONS

All doors come with a Stainless Steel lever handle as standard.




Asymmetric Split Horizontal Smooth Jet Black RAL 9005 with Bling Writing Decal & Stainless Steel D-Handles




1/2 & 1/2 Split Centre Ribbed Vertical Smooth Pebble Grey RAL 7032 with Black Powder Coated Handle

SPLITS

1/2 and 1/2



Asymmetric



On asymmetrically split doors the maximum leaf width for the large leaf is 1524mm.

□ STANDARD RIBBED. CARTECK INSULATED SIDE HINGED

Simple, timeless...

The boarded-look styling of Standard Ribbed design is a wonderfully simple way to create a look that is at home on any style of house. Choose white, wood effect or add a splash of colour!



SCAN ME!



Looking for
some more
inspiration?



✓ Matching personnel
doors available.



□ Asymmetric Split Vertical Smooth Jet Black RAL
9005 with Rectangle Type 2 Windows



□ 1/2 & 1/2 Split Horizontal
Smooth Agate Grey RAL 7038

TREND COLOURS


See page 28 for important colour & finish detail.




TREND+ COLOURS



TREND SATIN COLOURS



WOOD EFFECTS



Doors can also be coloured to any RAL shade.



COLOUR MATCHED TRIMS


For finishing the job, Teckentrup can provide colour matched trims for Trend+, Trend Satin & RAL coloured doors - Talk to your garage door specialist!

COASTAL PAINT UPGRADE

See pages 30 & 32 for more information.

To protect doors installed in coastal areas/high salinity environments, choose the coastal paint upgrade!

SURFACE TEXTURES




WINDOWS

HORIZONTAL

Alternative window configuration? Just ask!




VERTICAL




BLING WINDOWS & DECALS

For extra special windows and decals, see our Bling section on pages 26 & 27.



HANDLE OPTIONS

All doors come with a Stainless Steel lever handle as standard.




Asymmetric Split Vertical Woodgrain Flame Red RAL 3000 with Rectangle Type 1 Windows




Asymmetric Split Vertical Smooth Pigeon Blue RAL 5014

SPLITS

1/2 and 1/2



Asymmetric



On asymmetrically split doors the maximum leaf width for the large leaf is 1524mm.

□ TRADITIONAL.

CARTECK INSULATED SIDE HINGED

A traditional master...

Let natural light flood your garage with our Traditional style which feature a GSA top panel with a choice of mock-leading effect or plain window design.



□ 1/2 & 1/2 Split Standard Ribbed Vertical Smooth White RAL 9016



SCAN ME!



Looking for some more inspiration?

MOCK LEADING

Mock leading is available in natural lead grey (as standard) black or white (on request). All doors have natural lead grey mock leaded-effect decoration as standard but are also available in a plain design.



□ Plain



□ 1/2 & 1/2 Split Centre Ribbed Vertical Smooth Anthracite Grey RAL 7016



□ 1/2 & 1/2 Split Solid Vertical Smooth Chartwell Green BS 14 C 35 with the CarTeck Lever Handle in Satin Nickel

TREND COLOURS

See page 28 for important colour & finish detail.

White RAL 9016	TT9016 Bling White with micaceous iron ore particles glitter effect	Ice Crystal Grey Aluminium	White Aluminium RAL 9006	Grey Aluminium RAL 9007
Light Grey RAL 7035	Window Grey RAL 7040	Quartz Grey RAL 7039	Umbra Grey RAL 7022	Slate Grey RAL 7015
Anthracite Grey RAL 7016	Anthracite Textured RAL 7016	TT 703 A special satin metallic effect (grey with micaceous iron ore particles)	Jet Black RAL 9005	Steel Blue RAL 5011
Moss Green RAL 6005	Fir Green RAL 6009	Flame Red RAL 3000	Sepia Brown RAL 8014	Cream RAL 9001

TREND+ COLOURS

Agate Grey RAL 7038	Silver Grey RAL 7001	Pebble Grey RAL 7032	Stone Grey RAL 7030	Mouse Grey RAL 7005
Basalt Grey RAL 7012	Graphite Grey RAL 7024	Granite Grey RAL 7026	Graphite Black RAL 9011	Signal Black RAL 9004
Gentian Blue RAL 5010	Pigeon Blue RAL 5014	Chartwell Green BS 14 C 35	Sage Green RAL 130 60 10	Burgundy RAL 3004
Ruby Red RAL 3003	Terra Brown RAL 8028	Nut Brown RAL 8011	Light Ivory RAL 1015	Pure White RAL 9010

TREND SATIN COLOURS

White RAL 9016	Jet Black RAL 9005	Anthracite Grey RAL 7016
Agate Grey RAL 7038	Chartwell Green BS 14 C 35	Pebble Grey RAL 7032

Trend Satin Colours have a 10% gloss level (hence the name "Satin") compared to the 30% gloss level of Trend and Trend+ colours.

WOOD EFFECTS

Golden Oak	Rosewood	Night Oak	Winchester
------------	----------	-----------	------------

Doors can also be coloured to any RAL shade.



COLOUR MATCHED TRIMS



For finishing the job, Teckentrup can provide colour matched trims for Trend+, Trend Satin & RAL coloured doors - Talk to your garage door specialist!


COASTAL PAINT UPGRADE

See pages 30 & 32 for more information.



To protect doors installed in coastal areas/high salinity environments, choose the coastal paint upgrade!

SURFACE TEXTURES



HANDLE OPTIONS

All doors come with a Stainless Steel lever handle as standard.




Black Powder Coated
Lever Handle



Full details
& finishes
page 9.
3-Point Hook Locking &
CarTeck Lever Handle

SPLITS



On asymmetrically split doors the maximum leaf width for the large leaf is 1524mm.



1/2 & 1/2 Split Standard Ribbed Horizontal Smooth
Graphite Grey RAL 7024



1/2 & 1/2 Split Centre Ribbed Horizontal Smooth
Steel Blue RAL 5011



1/2 & 1/2 Split Solid Horizontal Smooth
Window Grey RAL 7040

□ TOPLIGHT. CARTECK INSULATED SIDE HINGED

A classic master...

A classic design brought right up to date, the Toplight style is the perfect choice for any home. Mock leaded as standard, a row of vertical windows lets in light, transforming the garage interior.



SCAN ME!



Looking for
some more
inspiration?

Mock Leading

Mock leading is available in natural lead grey (as standard) black or white (on request). Each window unit is 370mm wide x 680mm high. All doors have natural lead grey mock leaded-effect decoration as standard but are also available in a plain design.



□ Plain

□ 1/2 & 1/2 Split Standard Ribbed Vertical
Smooth Anthracite Grey RAL 7016



□ 1/2 & 1/2 Split Centre Ribbed Vertical Smooth Jet
Black RAL 9005 with the CarTeck Lever Handle in
Rose Gold



□ 1/2 & 1/2 Split Solid Vertical Smooth
Pigeon Blue RAL 5014

TREND COLOURS

See page 28 for important colour & finish detail.

White RAL 9016	TT9016 Bling White with micaceous iron ore particles glitter effect	Ice Crystal Grey Aluminium	White Aluminium RAL 9006	Grey Aluminium RAL 9007
Light Grey RAL 7035	Window Grey RAL 7040	Quartz Grey RAL 7039	Umbra Grey RAL 7022	Slate Grey RAL 7015
Anthracite Grey RAL 7016	Anthracite Textured RAL 7016	TT 703 A special satin metallic effect (grey with micaceous iron ore particles)	Jet Black RAL 9005	Steel Blue RAL 5011
Moss Green RAL 6005	Fir Green RAL 6009	Flame Red RAL 3000	Sepia Brown RAL 8014	Cream RAL 9001

TREND+ COLOURS

Agate Grey RAL 7038	Silver Grey RAL 7001	Pebble Grey RAL 7032	Stone Grey RAL 7030	Mouse Grey RAL 7005
Basalt Grey RAL 7012	Graphite Grey RAL 7024	Granite Grey RAL 7026	Graphite Black RAL 9011	Signal Black RAL 9004
Gentian Blue RAL 5010	Pigeon Blue RAL 5014	Chartwell Green BS 14 C 35	Sage Green RAL 130 60 10	Burgundy RAL 3004
Ruby Red RAL 3003	Terra Brown RAL 8028	Nut Brown RAL 8011	Light Ivory RAL 1015	Pure White RAL 9010

TREND SATIN COLOURS

White RAL 9016	Jet Black RAL 9005	Anthracite Grey RAL 7016	Trend Satin Colours have a 10% gloss level (hence the name "Satin") compared to the 30% gloss level of Trend and Trend+ colours.
Agate Grey RAL 7038	Chartwell Green BS 14 C 35	Pebble Grey RAL 7032	

WOOD EFFECTS

Golden Oak	Rosewood	Night Oak	Winchester
------------	----------	-----------	------------

Doors can also be coloured to any RAL shade.



COLOUR MATCHED TRIMS

For finishing the job, Teckentrup can provide colour matched trims for Trend+, Trend Satin & RAL coloured doors - Talk to your garage door specialist!




1/2 & 1/2 Split Centre Ribbed Horizontal Smooth White RAL 9016

COASTAL PAINT UPGRADE

See pages 30 & 32 for more information.


To protect doors installed in coastal areas/high salinity environments, choose the coastal paint upgrade!

SURFACE TEXTURES




HANDLE OPTIONS

All doors come with a Stainless Steel lever handle as standard.



Full details
& finishes
page 9.

SPLITS



On asymmetrically split doors the maximum leaf width for the large leaf is 1524mm.



1/2 & 1/2 Split Standard Ribbed Horizontal Smooth Fir Green RAL 6009



1/2 & 1/2 Split Solid Horizontal Smooth Basalt Grey RAL 7012 with the CarTeck Lever Handle in Satin Nickel



1/2 & 1/2 Split Standard Ribbed Vertical Smooth Jet Black RAL 9005 with Rhombus Mullion Windows & D-Handles

"I want to let natural light into my garage..."
Watch the video!



SCAN ME!

See page 28 for important colour & finish detail.

WINDOW OPTIONS.




Glazing elements

Scratch-resistant polymer, double glazed windows in attractive designs allow natural light into your garage.

As harmonious integration or intentional contrast – aligned with other facades and windows, vision elements play a key role in shaping the overall architecture of your house.


GLAZING Scratch-Resistant Polymer Double Pane



Clear



Frosted*




Satin*

*The exterior pane is Frosted/Satin and the interior pane is Clear.

MOCK LEADED

Mock leading is available on Type A and GSA/Traditional windows in natural lead grey (as standard) black or white (on request).



Alternative window configuration? Just ask!



Rectangle Type 1
610mm x 270mm



Cross Mullion
610mm x 270mm



Rhombus Mullion
610mm x 270mm




Square Type 1*
270mm x 270mm



Square Type 2*
270mm x 270mm




Rectangle Type 2*
680mm x 210mm



Rectangle Type 3*
980mm x 140mm



Type A* Plain
680mm x 370mm



Type A* Mock Leaded-Effect
680mm x 370mm



GSA/Traditional Plain
Width dependant on door size



GSA/Traditional Mock Leaded-Effect
Width dependant on door size



*Not available on Georgian style

BLING!

Personalising your door makes a design statement. Add a decorative accent with Bling windows and decals. It's the details that make your door extra special...


Available on solid, centre & standard ribbed door designs only!



WINDOWS.


High-grade window units add natural daylight with a contemporary twist. Windows are constructed with an aluminium casement and polymer glazing unit.

GLAZING



Clear


Satin



Athena
406mm x 203mm




Versus
900mm x 1000mm




Sigma
610mm x 200mm



Gamma
534mm x 344mm



Zeta
ø280mm



Alpha
280mm x 280mm



*Kappa
1860mm x 180mm

Alternative window configuration? Just ask!

*Minimum over frame height for Kappa windows used vertically on side hinged doors: 2010mm

DECALS.



High-grade alunox decals are factory bonded to your door for added visual appeal. Each decal can be positioned to suit your sense of design, however, popular arrangements are shown here.




Alternative decal configuration? Just ask!




Writing 100mm/200mm



Access 1 431mm x 40mm




Access 2 430mm x 40mm



Access 3 215mm x 40mm



Access 4 400mm x 86mm




Access 5 180mm x 180mm



Access 6 70mm x 70mm




Access 7 150mm x 150mm



Access 8 194mm x 194mm



Access 9 436mm x 40mm



Access 10 431mm x 13mm

TEXTURES & COLOURS.

COLOUR YOUR WORLD...

All the textures and colours available on CarTeck garage doors.

SURFACE TEXTURES

Create depth and dimension with a choice of surface finishes.

Smooth



Stucco



Woodgrain



Micro-Profiled



IMPORTANT NOTES ABOUT COLOUR

Where doors are exposed to direct sunlight, dark colours should be avoided.

RAL/BS references for colours are provided as a guide only to the nearest similar RAL/BS colour. Colours will not match to other RAL/BS finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS, wood effects or other colours will not be a precise match.

Colours shown are limited in accuracy by the printing process – samples should always be requested.

Golden Oak & Winchester are laminate finishes. Night Oak & Rosewood have a painted finish.

If you are matching to other finishes, particularly wood effects such as Rosewood, Golden Oak, Night Oak or Winchester, always request a sample.

SIDE HINGED GARAGE DOORS

The mitred door leaf frame and door frame are finished in a matching smooth finish for white, Trend (including Anthracite Textured) and RAL coloured doors. For these Trend colours, a complimentary flat colour is used: Ice Crystal Grey Aluminium (RAL9007), TT9016 Bling White (RAL 9016), Golden Oak (RAL8003), Rosewood (RAL8016) and Night Oak (RAL8014), Winchester (RAL8001) wood design finishes.

WINDOWS

Window frames are coloured to be similar to the door panel. Selected Trend colours & wood design windows are finished in a complementary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016), Night Oak (RAL8014), Winchester (RAL8001), Textured Anthracite (RAL7016), Ice Crystal Grey Aluminium (RAL9007) and TT9016 Bling White (RAL9016). The surrounds on aluminium GSA window sections are finished in a smooth finish.

Window frame colour shade and surface lustre will show a variance from the panel finish as the base material and coating methods are different.


TREND COLOURS

The classic collection of unusual, traditional and contemporary colour options.

White (RAL 9016)




TT9016 Bling White



Ice Crystal Grey Aluminium



White Aluminium (RAL 9006)



Grey Aluminium (RAL 9007)




Light Grey (RAL 7035)




Window Grey (RAL 7040)



Quartz Grey (RAL 7039)



Umbra Grey (RAL 7022)



Slate Grey (RAL 7015)




Anthracite Grey (RAL 7016)



Anthracite Textured (RAL 7016)



TT 703



Jet Black (RAL 9005)



Steel Blue (RAL 5011)



Moss Green (RAL 6005)



Fir Green (RAL 6009)




Flame Red (RAL 3000)



Sepia Brown (RAL 8014)



Cream (RAL 9001)



TREND+ COLOURS

The extended collection of timeless and modern colour options.

Agate Grey (RAL 7038)



Silver Grey (RAL 7001)




Pebble Grey (RAL 7032)



Stone Grey (RAL 7030)




Mouse Grey (RAL 7005)



Basalt Grey (RAL 7012)



Graphite Grey (RAL 7024)



Granite Grey (RAL 7026)



Graphite Black (RAL 9011)



Signal Black (RAL 9004)



Gentian Blue (RAL 5010)



Pigeon Blue (RAL 5014)



Chartwell Green (BS 14 C 35)



Sage Green (RAL 130 60 10)




Burgundy (RAL 3004)




Ruby Red (RAL 3003)




Terra Brown (RAL 8028)




Nut Brown (RAL 8011)



Light Ivory (RAL 1015)



Pure White (RAL 9010)



TREND SATIN COLOURS

Classic colours in an elegant satin finish.

Trend Satin Colours have a 10% gloss level (hence the name "Satin") compared to the 30% gloss level of Trend and Trend+ colours.

Here's a side by side comparison of the difference in gloss between Trend Satin Chartwell Green (10% gloss) and Trend + Chartwell Green (30% gloss).



White (RAL 9016)



Jet Black (RAL 9005)



Anthracite Grey (RAL 7016)




Agate Grey (RAL 7038)



Chartwell Green (BS 14 C 35)




Pebble Grey (RAL 7032)



WOOD EFFECTS

The inviting warmth of real wood, without all the hassle!

Golden Oak



Rosewood



Night Oak



Winchester



The options are endless...

Don't forget! Doors can also be coloured to any RAL shade.





1/2 & 1/2 Split Centre Ribbed Horizontal Woodgrain Anthracite Grey RAL 7016 with D-Handles


COASTAL PAINT UPGRADE

To protect doors installed in coastal areas, choose our coastal paint upgrade. The upgrade takes our standard door panel and adds a high performance epoxy primer to the external face of the panel's first topcoat. The primer is a chemically resistant, zinc chromate-free primer/filler providing excellent adhesion, humidity resistance and corrosion protection. A second paint topcoat is then applied to the epoxy primer. The same additional coatings are also applied to the door frame.

The resultant finish carries a **three-year warranty** against peeling and blistering on the external face of the panel and frame only. The warranty excludes staining or bleed from hardware and normal colour fade.



- a** Highly-stable core made of special foam with integrated thermal insulation
- b** Protective coat on rear side
- c** Highly effective adhesion primer
- d** Corrosion-resistant galvanized
- e** Steel core
- f** Corrosion-resistant galvanized
- g** Highly effective adhesion primer
- h** First top coating
- i** Coastal upgrade epoxy second primer
- j** Coastal upgrade second top coating



"I want a high performance door, not like they can be - rattly and draughty..."
Watch the video!



SCAN ME!

"I want to keep out the baddies..."
Watch the video!



SCAN ME!

"I want easy access on foot through an asymmetric door..."
Watch the video!



SCAN ME!

"I want a strong and durable garage door..."
Watch the video!



SCAN ME!

GETTING THE BEST FROM YOUR DOOR.

CLEANING ON INSTALLATION

After the installation has been completed, clean and dry the door thoroughly inside and out with warm soapy water to remove any grease, dust and metal fragments from the door (these will discolour the door finish if left on the door).

CLEANING

The door should be washed with a car shampoo or similar, every two months, to prevent the build up of dirt, salt, grit and other corrosive substances. If the door is in an area prone to coastal corrosion from airborne salts, the door should be cleaned monthly. Furthermore, cleaning operating gear with a cloth soaked in a light oil will help to protect your door from corrosion – it must be accepted that salt air is very aggressive and extra care is required.

No caustic, abrasive or corrosive chemicals and substances, flood water, water runoff, or runoff from lead, copper or galvanic metal flashing should be allowed to come into contact with the door. Contaminants can lead to oxidation spots on the external face of the door. Windows that have a mock lead effect may show a white residue due to oxidation over time, this should be removed should it contact painted surfaces.

Ash, cement, dust, animal waste, or foreign substances should be removed immediately. Do not apply excessive pressure when cleaning, doing so will affect the surface finish, leading to a permanent change in its lustre. Failure to ensure the door is cleaned and maintained as described will invalidate the doors' warranty.

MAINTENANCE

Doors must be maintained as per the supplied Installation, Operating and Maintenance Manual by a Garage Door Specialist. Failure to carry out the required maintenance at the advised interval will invalidate the warranty.

EXACT FIT DIMENSIONS



Whether you're renovating or building anew - Teckentrup side hinged garage doors fit perfectly into every installation situation*. Door widths of up to 3.5m and door heights of up to 2.5m are made to measure for the right fit. Every door is superbly manufactured to exacting standards.

*It is important to remember that the opening into which the door is fitted must be in good condition. If the threshold, walls and lintel are uneven, broken or sloping, a new door will not fix this! **Talk to your garage door specialist about any remedial work that may be necessary to the opening to ensure the best possible installation.**

"I want the perfect fit..."
Watch the video!



SCAN ME!

WARRANTY.

Terms & conditions apply - see: www.teckentrup.co.uk

Below are the warranties on our garage doors and finishes - See your doors' warranty certificate for full terms and conditions. The warranty periods only apply to products that have been correctly installed as per the instructions and appropriately operated, cleaned and maintained. The warranty also requires that maintenance/servicing is undertaken by both you (the owner) and a Garage Door Specialist at the recommended intervals. All these requirements are set out in the operating and maintenance sections of your doors' instructions and door labels.

CARTECK SIDE HINGED WARRANTY

2-year manufacturer's guarantee

- on window units, hinges, locks, handles and stays (opening/closing max. 5 times a day)

10-year manufacturer's guarantee

- on panels against rust penetration from inside to outside
- against door panel separation of steel from foam
- on material and manufacturing flaws of all non-moving parts of the frame that are verifiably unusable or whose usability is substantially compromised
- on floor seal, intermediate seals and frame seals against rotting

The guarantee does not apply to doors that are subjected to extreme conditions, e.g. corrosive influences resulting from use in a coastal climate with high salt content.


CARTECK PAINT FINISH WARRANTY

5-year manufacturer's guarantee excluding coastal areas

- on peeling and blistering (normal colour fade excluded)

3-year manufacturer's guarantee for coastal locations on doors with the coastal paint upgrade

- on peeling and blistering (normal colour fade excluded) on the external face of the panels (not covering bleed from hardware)



HONESTY

For information on what performance you can expect from your garage door, visit the Honesty Page on the Teckentrup website -

www.teckentrup.co.uk/garage-doors/the-honest-page



LOOKING FOR...

INSULATED AUTOMATIC SECTIONAL GARAGE DOORS?



U-Value
1.38
W/m²K

Download the
sectional garage
door brochure!



SCAN ME!

Great good looks and excellent performance rolled into one! Teckentrup CarTeck Sectional Garage Doors' insulated panels create a pleasant garage environment whilst the latest garage door operation technology makes opening and closing your garage door effortless.

TECKENTRUP
DOOR SOLUTIONS



Toplight 1/2 & 1/2 Split Standard Ribbed Vertical Smooth Silver Grey RAL 7001

Image courtesy of Forest Garage Doors



Image courtesy of Fast Fit

Standard Ribbed Vertical Smooth Pebble Grey RAL 7032 with Optional Surface Mounted Hinges



Image courtesy of Garage Doors South West

Solid Horizontal Smooth Special RAL with Stainless Steel D-Handle



Image courtesy of Garage Solutions

Traditional Centre Ribbed Vertical Smooth Agate Grey RAL 7038 with Carteck Lever Handle in Satin Nickel

SIMPLY THE BEST.



Traditional 1/2 & 1/2 Split Standard Ribbed Vertical Woodgrain Fir Green RAL 6009 with CarTeck Lever Handle in Black & Matching Side Door

Image courtesy of The Garage Door Company Grantham



Image courtesy of Elite Garage Doors

Toplight Standard Ribbed Vertical Smooth Steel Blue RAL 5011 with CarTeck Lever Handle in Gold



Image courtesy of Nuneaton Doors

Centre Ribbed Horizontal Smooth Grey Aluminium RAL 9007 with D-Handles



Image courtesy of Doorfit

Standard Ribbed Vertical Woodgrain Ruby Red RAL 3003 with Rectangle Type 1 Windows

CHOOSE CARTECK!

ALWAYS THE BEST SOLUTION. YOUR SOLUTION.

Teckentrup is a family business with operations throughout the world. In the UK, we make our garage doors in Warrington, Cheshire. CarTeck is available through a national network of independent Garage Door Specialist installers.

Teckentrup offers more than garage doors... We provide solutions and have set three quality standards for our garage doors:

Design. Security. Service.



July 2026

Teckentrup UK Limited, Units 2-4 Opus 9 Industrial Estate,
Woburn Road, Winwick Quay, Warrington WA2 8UE

t: 01925 924 050

f: 08701 314 843

e: sales@teckentrup.co.uk

WWW.TECKENTRUP.CO.UK



Design

We combine ease of use with aesthetics

Good design uses innovative technology to make using a product intuitive and effortless. CarTeck garage doors offer a wide range of design options that will transform the look of your home and the way you use your garage space.



Safety & Security

We combine security with safety

Our products are designed to provide peace of mind with both physical security and the knowledge that durability and safe operation are inherent.



Service

We combine speed with reliability

The Teckentrup team and our network of Garage Door Specialists installers love to make your new door a pleasure to own. From planning to installation. You'll always receive expert advice and the best service for installation, maintenance and aftercare.

QUALITY & ENVIRONMENT

Teckentrup operates to quality procedures audited to ISO 9001.



ISO 45001 Health and Safety Management System

We care about the environment too - this is why our products are certified in accordance with the Environmental Product Declaration (EPD).

ISO 14001 Environmental Management

ISO 50001 Energy Management

TECKENTRUP
DOOR SOLUTIONS

